

Marked Records

23 Records on the marked list

CLEAR MARKED LIST

STEP 1: Select sort and output fields for the entire marked list.

Select sort option: ☐ Latest date ☐ First author ☐ Source Title ☐ Times Cited	Select fields to include in addition to the author(s), article title and source. ☐ cited references* ☐ addresses ☐ abstract ☐ language ☐ publisher information ☐ ISSN ☐ document type ☐ keywords ☐ times cited *Selecting the cited references may cause the server to time out with large numbers of records.
---	--

STEP 2: Select action for output.

FORMAT FOR PRINT

SAVE TO FILE

EXPORT TO REFERENCE SOFTWARE

E-MAIL

- ☒ Kocik M, Adamec M, Janousek L, et al.
[TRANSMISSION OF COAGULATION FACTOR XII DEFICIENCY THROUGH LIVER TRANSPLANTATION](#)
 LIVER TRANSPLANT 15 (7): S128-S128 Suppl. 1 JUL 2009
- ☒ Kocik M, Podlinski J, Mizeraczyk J, et al.
[Flow Distribution Measurement in Wire-nonparallel Plate Type Electrohydrodynamic Gas Pump by a Particle Image Velocimetry](#)
 IEEE T DIELECT EL IN 16 (3): 601-607 JUN 2009
- ☒ Kocik M, Podlinski J, Mizeraczyk J, et al.
[Particle Image Velocimetry Measurements of Wire-nonparallel Plates Type Electrohydrodynamic Gas Pump](#)
 IEEE T DIELECT EL IN 16 (2): 312-319 APR 2009
- ☒ Kanazawa S, Abe Y, Kihara Y, et al.
[Time evolution of pulsed streamer discharge in water](#)
 IEEE T PLASMA SCI 36 (4): 922-923 Part 1 AUG 2008
- ☒ Barbucha R, Kocik M, Mizeraczyk J
[Systems for laser micromachining of the materials](#)
 PRZ ELEKTROTECHNICZN 84 (3): 51-53 2008
- ☒ Barbucha R, Kocik M, Mizeraczyk J
[Laser Direct Imaging system for high density interconnects on PCB](#)
 PRZ ELEKTROTECHNICZN 84 (3): 54-56 2008
- ☒ Barbucha R, Kocik M, Mizeraczyk J, et al.
[Laser direct imaging of tracks on PCB covered with laser photoresist](#)
 BULL POL ACAD SCI-TE 56 (1): 17-20 MAR 2008
- ☒ Kocik M, Malek I, Hubacek J, et al.
[Impact of nitric oxide synthase gene polymorphism on allograft coronary artery disease development](#)
 TRANSPL INT 20: 163-163 Suppl. 2 SEP 2007
- ☒ Niewulis A, Podlinski J, Kocik M, et al.
[EHD flow measured by 3D PTV in a narrow electrostatic precipitator with longitudinal-to-flow wire electrode and smooth or flocking grounded plane electrode](#)
 J ELECTROSTAT 65 (12): 728-734 NOV 2007
- ☒ Kocik M, Malek I, Janek B, et al.
[Risk factors for the development of coronary artery disease of a grafted heart as detected very early after orthotopic heart transplantation](#)
 TRANSPL INT 20 (8): 666-674 AUG 2007
- ☒ Kanazawa S, Tanaka H, Kajiwar A, et al.
[LIF imaging of OH radicals in DC positive streamer coronas](#)
 THIN SOLID FILMS 515 (9): 4266-4271 MAR 12 2007
- ☒ Kocik M, Malek I, Janek B, et al.
[Risk factors for the presence of early detected \(within 1. months after orthotopic heart transplantation\) allograft coronary artery disease](#)
 EUR HEART J 26: 518-518 Suppl. 1 SEP 2005
- ☒ Kocik M, Malek I, Janek B, et al.
[Cause of donor death and risk of donor transmitted coronary artery disease in clinical heart transplantation](#)
 EUR HEART J 26: 519-519 Suppl. 1 SEP 2005

- ☑ Kocik M, Malek I, Kvasnicka J, et al.
[Soluble adhesion molecules and graft coronary artery disease](#)
 EUR HEART J 26: 522-522 Suppl. 1 SEP 2005
- ☑ Kocik M, Malek I, Janek B, et al.
[Evaluation of coronary artery angiography in allograft coronary artery disease diagnosis](#)
 EUR HEART J 26: 522-522 Suppl. 1 SEP 2005
- ☑ Podlinski J, Kocik M, Barbucha R, et al.
[3D PIV measurements of the EHD flow patterns in a narrow electrostatic precipitator with wire-plate or wire-flocking electrodes](#)
 CZECH J PHYS 56: B1009-B1016 Part 5 Suppl. B 2006
- ☑ Kocik M, Mizeraczyk J, Kanazawa S, et al.
[LIF observation of ground-state OH radicals in DC nozzle-to-plane positive streamer corona](#)
 J ADV OXID TECHNOL 9 (2): 144-149 JUL 31 2006
- ☑ Ohkubo T, Kanazawa S, Nomoto Y, et al.
[Characteristics of DC corona streamers induced by UV laser irradiation in non-thermal plasma](#)
 J ADV OXID TECHNOL 8 (2): 218-225 JUL 31 2005
- ☑ Kocik M, Zurek W, Krucinska I, et al.
[Evaluating the bending rigidity of flat textiles with the use of an instron tensile tester](#)
 FIBRES TEXT EAST EUR 13 (2): 31-34 APR-JUN 2005
- ☑ Kocik MK, Malek I, Janek B, et al.
[Incidence of coronary atherosclerosis in asymptomatic population](#)
 ATHEROSCLEROSIS SUPP 6 (1): 125-125 APR 2005
- ☑ Kocik M, Dekowski J, Mizeraczyk J
[Particle precipitation efficiency in an electrostatic precipitator](#)
 J ELECTROSTAT 63 (6-10): 761-766 JUN 2005
- ☑ Kanazawa S, Sumi T, Sato N, et al.
[Wide-range two-dimensional imaging of NO density profiles by LIF technique in a corona radical shower reactor](#)
 IEEE T IND APPL 41 (1): 200-205 JAN-FEB 2005
- ☑ Podlinski J, Dekowski J, Kocik M, et al.
[Measurement of the flow velocity field in multi-field wire-plate electrostatic precipitator](#)
 CZECH J PHYS 54: C922-C930 Part 5 2004

 FORMAT FOR PRINT

SAVE TO FILE

EXPORT TO REFERENCE SOFTWARE

E-MAIL

 Back to [top of Marked Records](#) page

[Acceptable Use Policy](#)

 Copyright © 2010 [Institute for Scientific Information](#)